

CERTIFICATE OF COMPLIANCE

Certificate Number 20150303-E58730
Report Reference E58730-19770329
Issue Date 2015-MARCH-03

Issued to: OPTEK TECHNOLOGY INC
SUITE 130
1645 WALLACE DR
CARROLLTON TX 75006

This is to certify that representative samples of COMPONENT - OPTICAL ISOLATORS
See next page for models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1577- Standard for Optical Isolators
CSA Component Acceptance Service No. 5A

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20150303-E58730
Report Reference E58730-19770329
Issue Date 2015-MARCH-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

MODELS

USR, CNR – Single Protection Optical Isolator, Models OPI110, OPI110A, OPI110B, OPI110C, OPI1264, OPI1264A, OPI1264B, OPI1264C. Model designations may be followed by additional letters, numbers and symbols.

($\$$) - For ambient temperatures higher than 25°C and up to T_{moa}, refer to manufacturer's specifications and/or thermal derating curve data for complete electrical ratings.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

